

# A Test Problem for Visual Investigation of High-Dimensional Multi-Objective Search

Miqing Li, Shengxiang Yang, and Xiaohui Liu

**Abstract**—An inherent problem in multiobjective optimization is that the visual observation of solution vectors with four or more objectives is infeasible, which brings major difficulties for algorithmic design, examination, and development. This paper presents a test problem, called the Rectangle problem, to aid the visual investigation of high-dimensional multiobjective search. Key features of the Rectangle problem are that the Pareto optimal solutions 1) lie in a rectangle in the two-variable decision space and 2) are similar (in the sense of Euclidean geometry) to their images in the four-dimensional objective space. In this case, it is easy to examine the behavior of objective vectors in terms of both convergence and diversity, by observing their proximity to the optimal rectangle and their distribution in the rectangle, respectively, in the decision space. Fifteen algorithms are investigated. Underperformance of Pareto-based algorithms as well as most state-of-the-art many-objective algorithms indicates that the proposed problem not only is a good tool to help visually understand the behavior of multiobjective search in a high-dimensional objective space but also can be used as a challenging benchmark function to test algorithms' ability in balancing the convergence and diversity of solutions.

## I. INTRODUCTION

COMMON existence of optimization problems with more than three objectives in industrial and engineering design leads to the emergence of a new research topic in the evolutionary multiobjective optimization (EMO) area, called many-objective optimization [1], [2]. However, some inherent characteristics of the high dimension landscape, such as the curse of dimensionality and the ineffectiveness of the Pareto-based selection, bring great challenges for algorithmic designers and practitioners in the area [3]. One of the challenges lies in the visualization of evolutionary search. In contrast to two- or three-objective problems where it is straightforward to show the track of objective vectors during the evolutionary process, for problems with four or more objectives we cannot visually monitor how a set of objective vectors are evolved and visually understand their distribution in the space and their proximity to the Pareto front.

Effort has been made to ease this challenge. In general, there exist two classes of methods to visualize a set of vectors in the objective space. One, stemming from the multiple criterion decision-making (MCDM) community, is on the direct display by using a plane plot in the sense that objective

vectors are displayed with no modifications, such as parallel coordinates, bar charts, and star coordinates [4]. These methods, however, often come without information about the Pareto dominance relation between vectors. The other class is on the mapping of high-dimensional objective vectors to two- or three-dimensional ones for visualization. Key concerns under such mapping include the maintenance of the Pareto dominance relation between vectors and the reflection of their location information in the population. Many current studies originate from this motivation, presenting various interesting attempts [5], [6], [7], [8]. However, inevitable information loss associated with the dimension reduction will influence the observation and understanding of objective vectors. In addition, several methods of constructing and/or mapping some 'key' vectors from an objective vector set have been developed [9], [10], [11], [12]. Despite failing to display all vectors in detail, these methods can provide an outline of the whole set, e.g., the range and location of the set in the space.

On the other hand, some studies deal with the visualization challenge of evolutionary search from another perspective. Unlike the above methods which focus on objective vectors coming from any test problem, these studies propose (or introduce) a particular class of test problems to help the visual investigation of evolutionary search [13], [14]. Specifically, Köppen and Yoshida [15] presented a class of many-objective test problems whose Pareto optimal set is in a regular polygon in a two-dimensional decision space. This allows easy visualization and examination of the proximity of the obtained solutions to the optimal region and their distribution in the decision space. Later, Ishibuchi *et al.* [16], [17] extended and generalized this class of problems (called distance minimization problems), introducing multiple Pareto optimal polygons with same [16] or different shapes [18] as well as making decision variables' dimensionality scalable [17]. Overall, these problems provide a good alternative to help understand the behavior of multiobjective evolutionary search, and thus have been widely used to compare many-objective algorithms in recent studies [19], [20], [21].

However, one weakness of such a class of test problems is that from the decision space perspective it fails to exactly reflect the behavior and performance of objective vectors, i.e., their convergence and distribution with respect to the Pareto front. Even if a set of objective vectors are distributed perfectly over the optimal front, we cannot know this fact via the observation of the corresponding decision variables in the polygon(s).

In this paper, we construct a four-objective test problem with its Pareto optimal region being a rectangle in a two-

M. Li and X. Liu are with the Department of Computer Science, Brunel University, Uxbridge, Middlesex UB8 3PH, U. K. (email: {miqing.li, xiaohui.liu}@brunel.ac.uk).

S. Yang is with the Centre for Computational Intelligence (CCI), School of Computer Science and Informatics, De Montfort University, Leicester LE1 9BH, U. K. (e-mail: syang@dmu.ac.uk).




Fig. 1. An illustration of a four-objective distance minimization problem whose Pareto optimal region is determined by the four points.




Fig. 2. An illustration of a Rectangle problem whose Pareto optimal region is determined by the four lines.

dimensional decision space, called the Rectangle problem. The key feature in this problem is that the Pareto optimal solutions in the decision space and their images in the objective space are similar (in the sense of Euclidean geometry). In other words, the ratio of the distance between any two Pareto optimal solutions to the distance between their corresponding objective vectors in the Pareto front is a constant. In this way, we can easily understand the behavior and performance of the objective vector set (e.g., its uniformity and coverage over the Pareto front) by observing the solution set in the two-variable decision space.

Using three instances of the proposed problem, we investigate the behavior of 15 EMO algorithms, including well-known multiobjective algorithms and recently-developed many-objective ones. Interesting observations indicate that the Rectangle problem not only is a good tool to examine objective vectors' diversity that algorithms maintain but also provides a big challenge for algorithms to lead the solutions to search towards the optimal region.

The rest of this paper is organized as follows. Section II constructs and explains the proposed test problem. Section III briefly describes the considered EMO algorithms and their corresponding parameter settings. Section IV is devoted to visual investigation and understanding of the search behavior of the 15 algorithms on three problem instances. Finally, conclusions are drawn in Section V.

## II. THE RECTANGLE PROBLEM

The distance minimization problems, proposed by Köppen and Yoshida [15] and generalized by Ishibuchi *et al.* [16], are a class of many-objective optimization problems that minimize the Euclidean distance from a solution to a given set of points in the two- or three- dimensional Euclidean space, where the distance to any of these points is treated as an independent objective. Fig. 1 gives a four-objective example of the distance minimization problem with a set of points A, B, C, and D.

A significant feature of the distance minimization problems is that their Pareto optimal region is a convex polygon determined by the given point set [15]. This allows a

clear observation of whether the considered solution set has converged into the Pareto optimal region or not. However, a weakness of such problems is that they are unavailable for the distribution investigation of a solution set in the objective space. There is no explicit distribution relation between decision variables and their corresponding objective images in the problems.

Inspired by the above, this paper constructs a test problem whose Pareto optimal solutions lie in a rectangle in the decision space and more importantly are similar (in the sense of Euclidean geometry) to their images in the objective space. Unlike the distance minimization problems which consider the distance to a set of points, the proposed Rectangle problem takes into account the distance to a set of lines parallel to the coordinate axes. Fig. 2 gives an example of the Rectangle problem where the Pareto optimal solutions are in the region enclosed by four lines A, B, C, and D (including the boundary).

Formally, the Rectangle problem minimizes the Euclidean distance from a solution,  $\mathbf{x} = (x_1, x_2)$ , to four lines parallel to the coordinate axes ( $x_1 = a_1$ ,  $x_1 = a_2$ ,  $x_2 = b_1$ , and  $x_2 = b_2$ ):

$$\min \begin{cases} f_1(\mathbf{x}) = |x_1 - a_1| \\ f_2(\mathbf{x}) = |x_1 - a_2| \\ f_3(\mathbf{x}) = |x_2 - b_1| \\ f_4(\mathbf{x}) = |x_2 - b_2| \end{cases} \quad (1)$$

Next, we explain the geometric similarity of the Rectangle problem between the Pareto optimal solutions and their images in the objective space. Let  $\mathbf{x}^1 = (x_1^1, x_2^1)$  and  $\mathbf{x}^2 = (x_1^2, x_2^2)$  be two Pareto optimal solutions for the problem given in Eq. (1) (here, without loss of generality, assuming  $a_1 < a_2$  and  $b_1 < b_2$ ). Then, their Euclidean distance in the decision space is as follows:

$$D(\mathbf{x}^1, \mathbf{x}^2) = [(x_1^1 - x_1^2)^2 + (x_2^1 - x_2^2)^2]^{0.5} \quad (2)$$

Also, the distance of their images in the objective space is

$$\begin{aligned}
& D(f(\mathbf{x}^1), f(\mathbf{x}^2)) \\
&= \left[ (f_1(\mathbf{x}^1) - f_1(\mathbf{x}^2))^2 + (f_2(\mathbf{x}^1) - f_2(\mathbf{x}^2))^2 + \right. \\
&\quad \left. f_3(\mathbf{x}^1) - f_3(\mathbf{x}^2))^2 + (f_4(\mathbf{x}^1) - f_4(\mathbf{x}^2))^2 \right]^{0.5} \\
&= \left[ (|x_1^1 - a_1| - |x_1^2 - a_1|)^2 + (|x_1^1 - a_2| - |x_1^2 - a_2|)^2 + \right. \\
&\quad \left. (|x_2^1 - b_1| - |x_2^2 - b_1|)^2 + (|x_2^1 - b_2| - |x_2^2 - b_2|)^2 \right]^{0.5} \quad (3)
\end{aligned}$$

Since  $\mathbf{x}^1$  and  $\mathbf{x}^2$  are two Pareto optimal solutions of the problem, it holds that  $a_1 \leq x_1^1, x_1^2 \leq a_2$  and  $b_1 \leq x_2^1, x_2^2 \leq b_2$ . So Eq. (3) can be further expressed as:

$$\begin{aligned}
& D(f(\mathbf{x}^1), f(\mathbf{x}^2)) \\
&= \left[ (x_1^1 - x_1^2)^2 + (x_1^1 - x_1^2)^2 + (x_2^1 - x_2^2)^2 + (x_2^1 - x_2^2)^2 \right]^{0.5} \\
&= \sqrt{2} \left[ (x_1^1 - x_1^2)^2 + (x_2^1 - x_2^2)^2 \right]^{0.5} \\
&= \sqrt{2} D(\mathbf{x}^1, \mathbf{x}^2) \quad (4)
\end{aligned}$$

The above equation indicates that the ratio of the distance between any two Pareto optimal solutions to the distance between their corresponding objective vectors is a constant. As such, it is easy to understand the distribution of the objective vectors in a Pareto front approximation by observing their position and crowding degree in the rectangle in the two-dimensional decision space.

Note that this two-dimensional problem with respect to decision variables can be extended to the three-dimensional scenario. In this way, the proposed problem will minimize the Euclidean distance from a solution (i.e.,  $\mathbf{x} = (x_1, x_2, x_3)$ ) to six lines parallel to the three coordinate axes, and the Pareto optimal region will become a cuboid enclosed by these six lines. In addition, it is necessary to point out that unlike in the distance minimization problems where the objective dimensionality can be set freely, in the Rectangle problem the number of objectives (i.e., the considered lines) is determined by the number of decision variables (two lines corresponding to one coordinate axis). It is not easy (or even impossible) to add new lines while keeping the dimensionality of decision space unchanged, because the geometric similarity between the Pareto optimal solutions and their objective images will be violated when one coordinate axis corresponds to more than two lines.

### III. FIFTEEN ALGORITHMS INVESTIGATED

In this section, we briefly describe the considered algorithms and their corresponding parameter settings in the experimental studies. In all, 15 algorithms are investigated, including well-known multiobjective algorithms and recently-developed many-objective ones. Readers seeking more details on these algorithms may refer to their original literature.

- **Nondominated Sorting Genetic Algorithm II (NSGA-II)** [22]. As a representative Pareto-based algorithm, NSGA-II is well-known by its nondominated sorting and crowding distance-based density estimation strategies in fitness assignment.

- **Strength Pareto Evolutionary Algorithm 2 (SPEA2)** [23]. SPEA2 is also a prevalent Pareto-based algorithm, which adopts a so-called fitness strength value and the  $k$ -th nearest neighbor to rank individuals in the population.
- **Multiple Single Objective Pareto Sampling (MSOPS)** [24]. MSOPS uses the idea of single-objective aggregated optimization to search in parallel. Specifying an individual with a number of weight vectors, MSOPS is popular to deal with many-objective optimization problems.
- **Indicator-Based Evolutionary Algorithm (IBEA)** [25]. IBEA aims to integrate the preference information of the decision maker into multiobjective search. The main idea is to define the optimization goal in terms of a binary performance measure and then to directly use this measure to guide search.
- **$\epsilon$ -dominance Multiobjective Evolutionary Algorithm ( $\epsilon$ -MOEA)** [26].  $\epsilon$ -MOEA is a steady-state algorithm using  $\epsilon$ -dominance to strengthen the selection pressure. Dividing the objective space into many hyperboxes,  $\epsilon$ -MOEA allows each hyperbox at most one solution based on  $\epsilon$ -dominance and the distance from solutions to the utopia point in the hyperbox.
- **S Metric Selection EMO Algorithm (SMS-EMOA)** [27]. SMS-EMOA, like IBEA, is also an indicator-based algorithm, which maximizes the hypervolume contribution of a population during the evolutionary process. Combined with the concept of nondominated sorting, SMS-EMOA can produce a well-converged and well-distributed solution set.
- **Multiobjective Evolutionary Algorithm based on Decomposition (MOEA/D)** [28]. Using a predefined set of weight vectors to maintain a diverse set of solutions, MOEA/D converts a multiobjective problem into many single-objective problems and tackles them simultaneously. As one of the most popular algorithms developed recently, MOEA/D can work well with different aggregation functions, such as Tchebycheff and penalty-based boundary intersection (here denoted as MOEA/D-TCH and MOEA/D-PBI, respectively).
- **Average Ranking (AR)** [29]. AR, ranking solutions in each objective and then summing all the rank values to evaluate them, has been found to be successful in terms of convergence for many-objective problems [35], despite the risk of leading the solutions into a sub-area of the Pareto front due to the lack of a diversity maintenance scheme [36], [30].
- **Average Ranking combined with Grid (AR+Grid)** [30]. AR+Grid is a hybrid method which uses grid to enhance diversity for AR in many-objective optimization. In AR+Grid, the AR strategy is employed to provide the selection pressure towards the Pareto front, and the grid device is introduced to prevent solutions from being crowded in the objective space.
- **Hypervolume Estimation Algorithm (HypE)** [31].

TABLE I  
THE PARAMETER SETTING AND THE SOURCE OF THE TESTED ALGORITHMS

Algorithm	Parameter(s)	Source
NSGA-II [22]		<a href="http://www.iitk.ac.in/kangal">http://www.iitk.ac.in/kangal</a>
SPEA2 [23]		<a href="http://www.tik.ee.ethz.ch/pisa">http://www.tik.ee.ethz.ch/pisa</a>
MSOPS [24]	weight vectors 200	<a href="http://code.evanhughes.org/">http://code.evanhughes.org/</a>
IBEA [25]	$\kappa = 0.05$	<a href="http://www.tik.ee.ethz.ch/pisa">http://www.tik.ee.ethz.ch/pisa</a>
$\epsilon$ -MOEA [26]	$\epsilon = 0.85$	<a href="http://www.iitk.ac.in/kangal">http://www.iitk.ac.in/kangal</a>
SMS-EMOA [27]		<a href="http://jmetal.sourceforge.net/index.html">http://jmetal.sourceforge.net/index.html</a>
MOEA/D-TCH [28]	neighborhood size 10%	<a href="http://dces.essex.ac.uk/staff/qzhang/">http://dces.essex.ac.uk/staff/qzhang/</a>
MOEA/D-PBI [28]	neighborhood size 10%, penalty parameter 2.0	<a href="http://dces.essex.ac.uk/staff/qzhang/">http://dces.essex.ac.uk/staff/qzhang/</a>
AR [29]		written by ourselves
AR+Grid [30]	grid division 30	<a href="http://www.brunel.ac.uk/cspgmm1/">http://www.brunel.ac.uk/cspgmm1/</a>
HypE [31]	sampling point 10,000	<a href="http://www.tik.ee.ethz.ch/pisa">http://www.tik.ee.ethz.ch/pisa</a>
DMO [32]		written by ourselves
GrEA [33]	grid division 25	<a href="http://www.brunel.ac.uk/cspgmm1/">http://www.brunel.ac.uk/cspgmm1/</a>
FD-NSGA-II [34]	$\sigma = 0.5$	provided by its authors
SPEA2+SDE [20]		<a href="http://www.brunel.ac.uk/cspgmm1/">http://www.brunel.ac.uk/cspgmm1/</a>

Adopting Monte Carlo simulation to approximate the exact hypervolume value, HypE significantly reduces the time cost of the HV calculation and enables hypervolume-based search to be easily applied to many-objective optimization problems [31].

- **Diversity Management Operator (DMO)** [32]. Based on the basic framework of NSGA-II, DMO improves the diversity maintenance mechanism by adaptively tuning it according to the search range of the current evolutionary population.
- **Grid-based Evolutionary Algorithm (GrEA)** [33]. GrEA introduces three grid-based criteria to distinguish between individuals in mating and environmental selection. Together with a fitness adjustment strategy, these criteria are used to avoid partial overcrowding as well as guiding the search towards different promising directions in the space.
- **Fuzzy Dominance-based NSGA-II (FD-NSGA-II)** [34]. To deal with the failure of Pareto dominance in many-objective optimization, FD-NSGA-II develops a fuzzy dominance-based fitness evaluation mechanism to continuously differentiate individuals into different degrees of optimality. The concept of fuzzy logic is adopted in the algorithm to quantify the difference between individuals in a population.
- **SPEA2 with Shift-based Density Estimation (SPEA2+SDE)** [20]. Shifting individuals' position before estimating their density, SDE attempts to make Pareto-based algorithms suitable for many-objective optimization. In contrast to traditional density estimation which only involves individuals' distribution, SDE covers both the distribution and convergence information of individuals. The Pareto-based algorithm SPEA2 has been demonstrated to be very competitive in a high-dimensional space when cooperating with SDE.

A crossover probability  $p_c = 1.0$  and a mutation probability  $p_m = 1/L$  (where  $L$  denotes the number of decision variables) were used. The operators for crossover and mutation are simulated binary crossover (SBX) and polynomial

mutation with both distribution indexes 20. The population size was set to 120 (also the archive set maintained with the same if required) and the termination criterion of a run was 30,000 evaluations (i.e., 250 generations) for all the algorithms. In  $\epsilon$ -MOEA, the size of the archive set is determined by the  $\epsilon$  value. For a fair comparison, we set  $\epsilon$  so that the archive set is approximately of the same size as that of the other algorithms. Table I summarizes parameter settings as well as the source of all the algorithms. The setting of these parameters in our experimental studies either follows the suggestion in their original papers or has been found to make the algorithm perform well on the tested problem.

#### IV. RESULTS AND DISCUSSION

In this section, we investigate the behavior of the 15 EMO algorithms in terms of convergence and diversity on the Rectangle problem by demonstrating their solutions in the two-dimensional decision space. Three problem instances with the same objective lines ( $x_1 = 0$ ,  $x_1 = 100$ ,  $x_2 = 0$ , and  $x_2 = 100$ ) are introduced, where the only difference lies in the search (decision) space's range, thus providing different challenges for an algorithm to balance convergence and diversity.

##### A. Instance I

Fig. 3 shows the final solution sets obtained by one typical run of the 15 algorithms on a problem instance where the search range of both  $x_1$  and  $x_2$  is  $[-20, 120]$ . From different behaviors of their solutions in the figure, these algorithms can be divided into four groups.

The first group corresponds to the algorithms which fail to converge, including NSGA-II, SPEA2, and MSOPS. Among them, SPEA2 performs better than the other two algorithms in terms of diversity, although its solutions seem to cover the whole search space rather than the optimal region. Two algorithms, AR and FD-NSGA-II, belong to the second group where the obtained solutions concentrate in a small part of the Pareto optimal region. The algorithms in the third group struggle to maintain uniformity although most of their solutions can converge into the optimal region. SMS-EMOA,




Fig. 3. The final solution set of the 15 algorithms on the Rectangle problem where  $x_1, x_2 \in [-20, 120]$ .




Fig. 4. The final solution set of the five implementations of MOEA/D-PBI with different penalty parameter values on the Rectangle problem where  $x_1, x_2 \in [-20, 120]$ . The number in the bracket denotes the penalty parameter value of the algorithm.

MOEA/D-TCH, MOEA/D-PBI, HypE, and DMO fall into this group: their solutions overcrowded in some regions of the rectangle, thus leading to vacancy in other ones. It is worth noting that the solutions of SMS-EMOA here concentrate on the middle part of the Pareto optimal region. This observation is interesting, given that SMS-EMOA has been reported to perform well in maintaining solutions' extensity [27], [37].

The last group includes the remaining algorithms (i.e., IBEA,  $\epsilon$ -MOEA, AR+Grid, GrEA, and SPEA2+SDE) which perform well in terms of convergence and diversity. More specifically, the solutions obtained by  $\epsilon$ -MOEA tend to be perfectly uniform, but fail to cover the boundary of the optimal region. Although the solutions of IBEA, AR+Grid, and GrEA can reach the boundary of the optimal region, they are not so uniform as those of  $\epsilon$ -MOEA and SPEA2+SDE. SPEA2+SDE appears to be the only algorithm with excellent performance in terms of both extensity and uniformity, and its solutions are distributed uniformly over the whole Pareto

optimal region.

In addition, it is worth mentioning that among different implementations of MOEA/D regarding aggregation functions, MOEA/D-PBI with the penalty parameter value 2 (i.e., the setting considered here) performs best on the rectangle problem; this is not the case for the distance minimization problem where MOEA/D-TCH and MOEA/D-PBI with the penalty parameter value 0.1 (denoted as MOEA/D-PBI(0.1)) have been found to work well [38], [20]. Fig. 4 shows the result of five implementations of MOEA/D-PBI with different penalty parameter values on the tested instance. Clearly, MOEA/D-PBI(0.1) fails to maintain diversity, while MOEA/D-PBI(5.0) has all of its solutions converging into the optimal region. Despite having similar distribution with MOEA/D-PBI(1.5) and MOEA/D-PBI(2.5), MOEA/D-PBI(2.0) seems to achieve a better balance between convergence and diversity, some of its solutions located exactly in the boundary of the rectangle.




Fig. 5. The final solution set of the 15 algorithms on the Rectangle problem where  $x_1, x_2 \in [-10000, 10000]$ .

## B. Instance II

The Rectangle problem instance considered in this section greatly enlarges the search space of Instance I, with  $x_1, x_2 \in [-10000, 10000]$ . Fig. 5 shows the final solution sets obtained by one typical run of the 15 algorithms on this instance.

It is clear from the figure that most of the algorithms face big challenges in balancing convergence and diversity on this problem instance. The solution sets obtained by NSGA-II, SPEA2, AR, AR+Grid, DMO, and FD-NSGA-II fail to approach the Pareto optimal region. The first five sets are distributed in the form of a cross and the last one is located in a rhombic region. All solutions of MSOPS overlap in six points near the rectangle. MOEA/D-TCH and GrEA perform similarly—most of their solutions can converge into the Pareto optimal region, but there still exist several solutions far away from the optimal rectangle. Although all the solutions obtained by IBEA and HypE are the Pareto optimal solutions, the two algorithms struggle to maintain uniformity, leading their solutions to concentrate (or even coincide) in some areas of the rectangle.

The remaining four algorithms,  $\epsilon$ -MOEA, SMS-EMOA, MOEA/D-PBI, and SPEA2+SDE, perform significantly better than the previous ones. The solutions of  $\epsilon$ -MOEA have almost perfect uniformity. Despite some shortcomings in terms of extensity or uniformity, the solution set obtained by SMS-EMOA and MOEA/D-PBI largely covers the whole optimal region. SPEA2+SDE, like the case on the problem Instance I, achieves the best performance in balancing solutions' uniformity and extensity.

Contrast the results on Instance II with those on Instance I: only the four algorithms (i.e.,  $\epsilon$ -MOEA, SMS-EMOA, MOEA/D-PBI, and SPEA2+SDE) perform similarly; some algorithms' solution set, like NSGA-II's and SPEA2's, is far away from the optimal region and distributed crosswise. This is not the case for the distance minimization problem where the solution set obtained by Pareto-based algorithms can easily approach the Pareto optimal region even when the number of objectives reaches 10 [21]. Fig. 6 gives an illustration to explain why this happens. Let  $x^1$  and  $x^2$  be two solutions for the Rectangle problem in the figure.  $x^1$  is located in the middle of the two objective lines parallel to coordinate axis  $o_2$ , and  $x^2$  in the right upper area to the four objective lines. The region that Pareto-dominates  $x^1$  is a line segment, far smaller than that dominating  $x^2$ , although  $x^2$  is closer to the optimal region than  $x^1$ . In fact, any solution located between two parallel objective lines (except the Pareto optimal solutions) is dominated only by a line segment parallel to the two objective lines, given that any improvement of the solution's distance to the one objective line will lead to the degradation to the other. This characteristic of the Rectangle problem (i.e., some non-Pareto optimal solutions dominated by only a linear region) will bring a great challenge for algorithms which use Pareto dominance as the sole selection criterion in terms of convergence, usually leading their solutions to be distributed crisscross in the space.

In addition, it is necessary to mention that on Instance II the optimal setting of the algorithms' parameter(s) (if existing) is likely to be different from that on Instance I. The






Fig. 6. An illustration of the difficulty for algorithms to converge on the Rectangle problem. The shadows are the regions that dominate  $x^1$  and  $x^2$ , respectively.

characteristic of the Rectangle problem explained above can make the optimal setting of the parameter(s) vary for the search space with different ranges. For instance, a significantly large grid division of GrEA (say 500) can make the algorithm's solutions converge into the optimal rectangle as well as having good diversity on Instance II. Similar cases occur for the algorithms IBEA, AR+Grid, and FD-NSGA-II.

### C. Instance III

From the result comparison on Instance I and Instance II, the four algorithms,  $\epsilon$ -MOEA, SMS-EMOA, MOEA/D-PBI, and SPEA2+SDE, have been found to perform steadily with the change of the search space. In this section, we significantly enlarge the search range of solutions in order to further test the algorithms' ability of leading solutions to converge towards the Pareto optimal region when working in a huge space. Fig. 7 shows the final solution sets obtained by one typical run of the four algorithms on the problem instance with  $x_1, x_2 \in [-10^{12}, 10^{12}]$ .

Clearly, only SPEA2+SDE works well on this instance, with its solutions located in the rectangle as well as having good coverage. The archive set of  $\epsilon$ -MOEA has only one individual far from the optimal region. In fact, no matter how to set the  $\epsilon$  value of the algorithm, there is only one solution left in the final archive set when the problem's search space becomes huge. Likewise, SMS-EMOA and MOEA/D-PBI fail to lead their solution set to approach the optimal region. The solutions of SMS-EMOA have a crisscross distribution and the solutions of MOEA/D-PBI gather into two clusters parallel to the horizontal axis.

## V. CONCLUSIONS

Visual investigation of evolutionary search in a high-dimensional space is an important issue in the EMO area, which can help understand the behavior of the existing EMO algorithms, facilitate their modification, and further develop new algorithms for many-objective optimization problems. Unlike the existing studies which mainly focus on the mapping of high-dimensional objective vectors to two- or three-dimensional ones for visualization, this paper




Fig. 7. The final solution set of the four algorithms on the Rectangle problem where  $x_1, x_2 \in [-10^{12}, 10^{12}]$ .

develops a test function, called the Rectangle problem, where the Pareto optimal solutions in the two-variable decision space have similar distribution to their images in the four-dimensional objective space. In this case, it is feasible to visually investigate high-dimensional objective vectors of the problem by observing their behavior in the decision space.

Fifteen EMO algorithms have been investigated on three instances of the proposed problem with varying range of search spaces which present different challenges for an algorithm to converge. Different behaviors of the tested algorithms have been demonstrated. The Pareto-based algorithms (i.e., NSGA-II and SPEA2) fail to guide their solutions evolving towards the Pareto optimal region even if the optimal region accounts for a large proportion of the whole search space. IBEA, AR+Grid, and GrEA can achieve a good balance between convergence and diversity on Instance I, but struggle when the search space becomes larger. Although  $\epsilon$ -MOEA, SMS-EMOA, and MOEA/D-PBI work well on Instances I and II, their solutions fail to approach the optimal rectangle when a huge problem's search space is introduced. SPEA2+SDE is the only algorithm with good performance on all the three test instances, with its solutions distributed uniformly over the whole Pareto optimal region all along.

Despite involving only four objectives, the Rectangle problem poses big challenges to most of the many-objective algorithms. This is different from the case that on most four-objective problems in the literature (e.g., the DTLZ problem suite [39]) the algorithms developed specifically for many-objective optimization (or even only based on Pareto selection criterion) perform fairly well [37]. One major future work is on the changeability of the number of objectives of the Rectangle problem. More research is desirable to improve the proposed problem or develop new problems whose number of objectives is independent of the dimensionality of the decision space.

## REFERENCES

- [1] P. Fleming, R. Purshouse, and R. Lygoe, "Many-objective optimization: An engineering design perspective," in *Proc. Evolutionary Multi-Criterion Optimization*, 2005, pp. 14–32.
- [2] H. Ishibuchi, N. Tsukamoto, and Y. Nojima, "Evolutionary many-objective optimization: A short review," in *Proc. IEEE Congr. Evol. Comput.*, 2008, pp. 2419–2426.
- [3] M. Li, S. Yang, and X. Liu, "Diversity comparison of Pareto front approximations in many-objective optimization," *IEEE Transactions on Cybernetics*, 2014. In press.
- [4] K. Deb, *Multi-Objective Optimization Using Evolutionary Algorithms*. New York: John Wiley, 2001.
- [5] M. Köppen and K. Yoshida, "Visualization of Pareto-sets in evolutionary multi-objective optimization," in *Proc. 7th Int. Conf. Hybrid Intelligent Systems*, 2007, pp. 156–161.
- [6] F. Kudo and T. Yoshikawa, "Knowledge extraction in multi-objective optimization problem based on visualization of Pareto solutions," in *2012 IEEE Congress on Evolutionary Computation*, 2012, pp. 860–865.
- [7] D. J. Walker, R. M. Everson, and J. E. Fieldsend, "Visualising mutually non-dominating solution sets in many-objective optimisation," *IEEE Trans. Evol. Comput.*, vol. 17, no. 2, pp. 165–184, 2013.
- [8] J. Fieldsend and R. Everson, "Visualising high-dimensional Pareto relationships in two-dimensional scatterplots," in *Evolutionary Multi-Criterion Optimization*, 2013, pp. 558–572.
- [9] M. Li and J. Zheng, "Spread assessment for evolutionary multi-objective optimization," in *Proc. Evolutionary Multi-Criterion Optimization*, 2009, pp. 216–230.
- [10] H. K. Singh, A. Isaacs, and T. Ray, "A Pareto corner search evolutionary algorithm and dimensionality reduction in many-objective optimization problems," *IEEE Trans. Evol. Comput.*, vol. 15, no. 4, pp. 539–556, 2011.
- [11] R. M. Everson, D. J. Walker, and J. E. Fieldsend, "Edges of mutually non-dominating sets," in *Proc. 15th Ann. Conf. Genetic Evol. Comput.*, 2013, pp. 607–614.
- [12] M. Li, S. Yang, J. Zheng, and X. Liu, "ETEA: A Euclidean minimum spanning tree-based evolutionary algorithm for multiobjective optimization," *Evol. Comput.*, vol. 22, no. 2, 2013.
- [13] O. Schütze, A. Lara, and C. A. C. Coello, "On the influence of the number of objectives on the hardness of a multiobjective optimization problem," *IEEE Trans. Evol. Comput.*, vol. 15, no. 4, pp. 444–455, 2011.
- [14] G. Rudolph, B. Naujoks, and M. Preuss, "Capabilities of EMOA to detect and preserve equivalent Pareto subsets," in *Proc. Evolutionary Multi-Criterion Optimization*, 2007, pp. 36–50.
- [15] M. Köppen and K. Yoshida, "Substitute distance assignments in NSGA-II for handling many-objective optimization problems," in *Evolutionary Multi-Criterion Optimization*, 2007, pp. 727–741.
- [16] H. Ishibuchi, Y. Hitotsuyanagi, N. Tsukamoto, and Y. Nojima, "Many-objective test problems to visually examine the behavior of multiobjective evolution in a decision space," in *Proc. Parallel Problem Solv. Nature*, 2010, pp. 91–100.
- [17] H. Ishibuchi, M. Yamane, N. Akedo, and Y. Nojima, "Many-objective and many-variable test problems for visual examination of multi-objective search," in *IEEE Congress on Evolutionary Computation*, 2013, pp. 1491–1498.
- [18] H. Ishibuchi, N. Akedo, and Y. Nojima, "A many-objective test problem for visually examining diversity maintenance behavior in a decision space," in *Proc. 13th Annual Conf. Genetic Evol. Comput.*, 2011, pp. 649–656.
- [19] H. K. Singh, A. Isaacs, T. Ray, and W. Smith, "A study on the performance of substitute distance based approaches for evolutionary many-objective optimization," in *Simulated Evolution and Learning*, 2008, pp. 401–410.
- [20] M. Li, S. Yang, and X. Liu, "Shift-based density estimation for Pareto-based algorithms in many-objective optimization," *IEEE Trans. Evol. Comput.*, 2013. In press.
- [21] M. Li, S. Yang, X. Liu, and R. Shen, "A comparative study on evolutionary algorithms for many-objective optimization," in *Proc. Evolutionary Multi-Criterion Optimization*, 2013, pp. 261–275.
- [22] K. Deb, A. Pratap, S. Agarwal, and T. Meyarivan, "A fast and elitist multiobjective genetic algorithm: NSGA-II," *IEEE Trans. Evol. Comput.*, vol. 6, no. 2, pp. 182–197, 2002.
- [23] E. Zitzler, M. Laumanns, and L. Thiele, "SPEA2: Improving the strength Pareto evolutionary algorithm for multiobjective optimization," in *Proc. Evolutionary Methods for Design, Optimisation and Control*, 2002, pp. 95–100.
- [24] E. J. Hughes, "Multiple single objective Pareto sampling," in *Proc. IEEE Congr. Evol. Comput.*, vol. 4, 2003, pp. 2678–2684.
- [25] E. Zitzler and S. Künzli, "Indicator-based selection in multiobjective search," in *Proc. Parallel Problem Solv. Nature*, 2004, pp. 832–842.
- [26] K. Deb, M. Mohan, and S. Mishra, "Evaluating the  $\epsilon$ -domination based multi-objective evolutionary algorithm for a quick computation of Pareto-optimal solutions," *Evol. Comput.*, vol. 13, no. 4, pp. 501–525, Dec. 2005.
- [27] N. Beume, B. Naujoks, and M. Emmerich, "SMS-EMOA: Multi-objective selection based on dominated hypervolume," *Eur. J. Oper. Res.*, vol. 181, no. 3, pp. 1653–1669, 2007.
- [28] Q. Zhang and H. Li, "MOEA/D: A multiobjective evolutionary algorithm based on decomposition," *IEEE Trans. Evol. Comput.*, vol. 11, no. 6, pp. 712–731, 2007.
- [29] P. J. Bentley and J. P. Wakefield, "Finding acceptable solutions in the Pareto-optimal range using multiobjective genetic algorithms," in *Soft Computing in Engineering Design and Manufacturing*, 1997, ch. 5, pp. 231–240.
- [30] M. Li, J. Zheng, K. Li, Q. Yuan, and R. Shen, "Enhancing diversity for average ranking method in evolutionary many-objective optimization," in *Proc. Parallel Problem Solv. Nature*, 2010, pp. 647–656.
- [31] J. Bader and E. Zitzler, "HypE: An algorithm for fast hypervolume-based many-objective optimization," *Evol. Comput.*, vol. 19, no. 1, pp. 45–76, 2011.
- [32] S. F. Adra and P. J. Fleming, "Diversity management in evolutionary many-objective optimization," *IEEE Trans. Evol. Comput.*, vol. 15, no. 2, pp. 183–195, 2011.
- [33] S. Yang, M. Li, X. Liu, and J. Zheng, "A grid-based evolutionary algorithm for many-objective optimization," *IEEE Trans. Evol. Comput.*, vol. 17, no. 5, pp. 721–736, 2013.
- [34] Z. He, G. G. Yen, and J. Zhang, "Fuzzy-based Pareto optimality for many-objective evolutionary algorithms," *IEEE Trans. Evol. Comput.*, 2013, in press.
- [35] D. W. Corne and J. D. Knowles, "Techniques for highly multiobjective optimisation: some nondominated points are better than others," in *Proc. 9th Ann. Conf. Genetic Evol. Comput.*, 2007, pp. 773–780.
- [36] A. L. Jaimes and C. A. Coello Coello, "Study of preference relations in many-objective optimization," in *Proc. 11th Ann. Conf. Genetic Evol. Comput.*, 2009, pp. 611–618.
- [37] T. Wagner, N. Beume, and B. Naujoks, "Pareto-, aggregation-, and indicator-based methods in many-objective optimization," in *Proc. Evol. Multi-Criterion Optimiz.*, 2007, pp. 742–756.
- [38] H. Ishibuchi, N. Akedo, and Y. Nojima, "A study on the specification of a scalarizing function in MOEA/D for many-objective knapsack problems," in *Learning and Intelligent Optimization Conference*, 2013, in press.
- [39] K. Deb, L. Thiele, M. Laumanns, and E. Zitzler, "Scalable test problems for evolutionary multiobjective optimization," in *Evolutionary Multiobjective Optimization. Theoretical Advances and Applications*, A. Abraham, L. Jain, and R. Goldberg, Eds. Berlin, Germany: Springer, 2005, pp. 105–145.