

# A Histogram Estimation of Distribution Algorithm for Resource Scheduling

Li-Tao Tan

South China University of Technology  
Guangzhou, China

Wei-Neng Chen

South China University of Technology  
Guangzhou, China  
cwnraul634@aliyun.com

Jun Zhang

South China University of Technology  
Guangzhou, China  
[junzhang@ieee.org](mailto:junzhang@ieee.org)

## ABSTRACT

Resource scheduling is always a highly concerned NP-hard problem in operations research. Taking advantage of estimation of distribution (EDA) algorithms, this paper develops a histogram EDA (HEDA) for resource scheduling. First, a histogram-based distribution model is adopted. The height of each bin in the histogram is updated using the accumulation strategy according to the ranking of individuals. Second, a repair strategy is applied to fix all the newly sampled solutions into feasible ones that satisfy the deadline constraint. Experimental results show that the proposed HEDA is promising, particularly in large-scale instances.

## CCS CONCEPTS

• **Computer systems organization** → *Planning and scheduling, Search methodologies*

## KEYWORDS

Scheduling, estimation of distribution algorithms, histogram

## 1 INTRODUCTION

Resource scheduling is commonly seen in many application areas such as insurance investment planning [1], transportation [2], project scheduling [3], and so on. In many cases, resource scheduling problems are NP-hard [4]. Evolutionary algorithms (EAs) have been found to be an effective way to tackle resource scheduling problems [4].

Recently, estimation of distribution algorithms (EDAs) have emerged as a special kind of EAs that evolve the population by estimating the probability distribution of populations and sampling new offspring based on the distribution [5-7]. The effectiveness of EDA for resource scheduling has also been

verified by using a Boltzmann-based model [4]. However, with growth of problem scale, it remains a critical issue to improve the search efficiency of EDAs for resource scheduling problems.

This paper proposes a histogram estimation of distribution algorithm (HEDA) for resource scheduling. HEDA uses the histogram-based distribution as the probability model. Following the accumulation rule [7], the histogram is updated according to the rank of individuals in the population. In addition, a repair strategy is applied to fix all the newly sampled solutions into feasible solutions. As the update of the histogram-based model is time-efficient, and the repair strategy can guarantee the feasibility of the newly generated offspring, the proposed approach becomes efficient. Experiments are conducted on 24 instances. Compared to the Boltzmann-based EDA [4], HEDA yields better performance particularly in large-scale instances.

## 2 MATHEMATICAL FORMULATION

Assuming that there are  $n$  jobs and each job is independent,  $r_i$  denotes the resource allocated to job  $i$ ,  $t_i(j)$  denotes the process time of job  $i$  using resource  $j$ ,  $w_i$  denotes the cost weight of job  $i$ , and  $d$  denotes the deadline. The resource  $r_i$  allocated to job  $i$  belongs to  $\{1, 2, \dots, k_i\}$ . In addition, the time constraint is given by:

$$\sum_{i=0}^{n-1} t_i(r_i) < d \quad (1)$$

The objective is to minimize the total cost of scheduling subject to the above resource and time constraints.

$$\min \sum_{i=0}^{n-1} w_i r_i \quad (2)$$

```
01: procedure HEDA
02:   initialize histogram model;
03:   while terminal condition not met
04:     sample new population;
05:     repair solutions;
06:     evaluate the solutions;
07:     save the dominant solutions;
08:     update histogram model;
09:   end while
10: end procedure
```

Figure 1: Pseudo code of HEDA

\*Produces the permission block, and copyright information

†The full version of the author's guide is available as acmart.pdf document

<sup>1</sup>It is a datatype.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).  
GECCO '18 Companion, July 15–19, 2018, Kyoto, Japan © 2018 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-5764-7/18/07... \$15.00

<https://doi.org/10.1145/3205651.3205679>

```

01: procedure repair
02: for each individual
03:   if complete time > deadline
04:     for each job i (i = 0, 1, ..., n - 1)
05:       pseudo utility  $pu_i = \frac{t_i(r_i) - t_i(k_i)}{k_i - r_i}$  (0, if  $r_i = k_i$ );
06:     end for
07:     rank  $r_i$  according to pseudo utility and store in seqi;
08:     j = 0;
09:     while complete time > deadline
10:        $r_{seq_j}++$ ; if  $r_{seq_j} = k_{seq_j}$ ,  $j++$ ;
11:     end while
12:   end if
13: end for
14: end procedure

```

Figure 2: Pseudo code of solution repair

### 3 HEDA FOR RESOURCE SCHEDULING

The pseudo codes of the proposed HEDA and the repair strategy are given in Fig. 1 and Fig. 2, respectively. The most important part of HEDA is the update of the histogram model. The histogram model has totally  $\sum_{i=0}^{n-1} k_i$  bins. During each generation *gen*, the height  $H_{i,gen}(j)$  is updated by

$$H_{i,gen}(j) = \alpha H_{new,i,gen}(j) + (1 - \alpha) H_{i,gen-1}(j) \quad (3)$$

where  $\alpha$  ( $0 < \alpha < 1$ ) is accumulation rate, and  $H_{i,gen-1}(j)$  is the height of resource *j* for job *i* in the histogram in the last generation.  $H_{new,i,gen}(j)$  is calculated as follows. First, the best *s* individuals in the current generation are selected as the dominant individuals. Then for the *l*-th best individual  $ind_l$ , the corresponding increment is calculated by

$$H_{new,i,gen}(j) = \sum_{l=1}^s \Delta H_{i,j,l} \quad (4)$$

In following way, the higher ranking of the individual, the more increment it brings to the bin.

$$\Delta H_{i,j,l} = \begin{cases} 0, & \text{if } r_l \neq j \text{ for } ind_l \\ \frac{2(s-l+1)}{s(s+1)}, & \text{if } r_l = j \text{ for } ind_l \end{cases} \quad (5)$$

New solutions are generated by sampling on the histogram model with the roulette wheel selection scheme. In addition, a solution will be mutated with a mutation rate  $\mu$ . In this paper, the accumulation rate  $\alpha$  is set to 0.2, the mutation rate  $\mu$  is set to 0.05, the population size is set 100, and the top 50% of the population is selected as the dominant individuals.

### 4 EXPERIMENTAL RESULTS

Based on the benchmark in [4], we compare the HEDA with the Boltzmann-based estimation of distribution algorithm (BDEDA) [4]. BDEDA has been proven better than ant colony system

(ACS), conventional genetic algorithm (CGA), univariate marginal distribution algorithm (UMDA), and Markov estimation of distribution algorithm (M<sub>k</sub>-EDA) [4]. Table 1 shows the experimental results. Here 4\*10 means that the problem has 4 resources and 10 jobs. It can be seen that the proposed approach performs better on 15 out of the 24 instances. In particular, on the 18 larger-scale instances, HEDA performs better on 15 instances. These results verify that the proposed HEDA is promising especially on large-scale instances by virtue of its high diversity.

Table 2: Comparison of Coefficients from Atomistic

Scale	BDEDA	HEDA	Scale	BDEDA	HEDA
	<b>198.53</b>	199.31		<b>410.48</b>	413.53
<b>4*10</b>	<b>296</b>	297.66	<b>4*15</b>	<b>510.9</b>	514.7
	171	171		<b>651.85</b>	653.9
	<b>259.15</b>	1080.32		1080.32	<b>1027.66</b>
<b>7*10</b>	620.18	<b>587.18</b>	<b>7*15</b>	1376.25	<b>1345.55</b>
	194.63	<b>188.45</b>		873.5	<b>793.05</b>
	<b>853.68</b>	948.66		1213.45	<b>1067.07</b>
<b>10*10</b>	1236.52	<b>1157.59</b>	<b>10*15</b>	1849.08	<b>1733.95</b>
	403.39	<b>215.27</b>		2297.66	<b>2274.16</b>
	1817.77	<b>1384</b>		3124.33	<b>873.57</b>
<b>50*5</b>	1806.43	<b>1389.07</b>	<b>50*10</b>	3118.53	<b>2304.8</b>
	<b>1851.1</b>	2199.1		4372.26	<b>3764.83</b>

### 5 CONCLUSIONS

This paper proposed a HEDA algorithm for resource scheduling. Experimental results show that the HEDA is promising especially in large instances.

### ACKNOWLEDGMENTS

This work was supported in part by the National Natural Science Foundation of China Nos. 61622206, 61332002, the Natural Science Foundation of Guangdong No. 2015A030306024 and the Pearl River New Star No. 201506010002. (Corresponding Author: Wei-Neng Chen).

### REFERENCES

- [1] Wen Shi, Wei-neng Chen, Ying Lin, Tianlong Gu, Sam Kwong, and Jun Zhang, "An Adaptive Estimation of Distribution Algorithm for Multi-Policy Insurance Investment Planning", IEEE Trans. on Evolutionary Computation, in press
- [2] Ya-hui Jia, Wei-neng Chen, Tianlong Gu, Huaxiang Zhang, Huaqiang Yuan, Ying Lin, Wei-Jie Yu and Jun Zhang#, "A Dynamic Logistic Dispatching System With Set-Based Particle Swarm Optimization", IEEE Trans. on Systems, Men and Cybernetics: Systems, in press
- [3] Wei-neng Chen and Jun Zhang, "Ant Colony Optimization for Software Project Scheduling and Staffing with an Event-Based Scheduler", IEEE Trans. on Software Engineering, vol. 39, no. 1, pp. 1-17, 2013.
- [4] X. Liang, H. Chen and J. A. Lozano, "A Boltzmann-Based Estimation of Distribution Algorithm for a General Resource Scheduling Model," in IEEE Trans. on Evolutionary Computation, vol. 19, no. 6, pp. 793-806, Dec. 2015.
- [5] Qiang Yang, Wei-neng Chen, Yun Li, Philip Chen, Xiang-Min Xu and Jun Zhang, "Multimodal Estimation of Distribution Algorithms," IEEE Trans. on Cybernetics, vol. 47, no. 3, pp. 636-650, 2017
- [6] Qiang Yang, Wei-neng Chen, Zhengtao Yu, Tianlong Gu, Yun Li, Huaxiang Zhang and Jun Zhang, "Adaptive Multimodal Continuous Ant Colony Optimization," IEEE Trans. on Evolutionary Computation, vol. 21, no. 2, pp. 191-205, 2017.
- [7] Nan Ding, Shude Zhou, and Zengqi Sun, "Optimizing Continuous Problems Using Estimation of Distribution Algorithm Based on Histogram Model," SEAL 2006, pp. 545 - 552, 2006.